

From: Fuentes, Rene
To: ["Mullen, Tom"](#)
Subject: RE: DOCKET NO. SDWA-10-2013-0080 / Groundwater Monitoring Well Installation Activities - Monday, September 3, 2013 Update
Date: Wednesday, September 04, 2013 8:31:00 AM

*Tom,
Thanks, will make our plans accordingly.
Rene*

From: Mullen, Tom [mailto:Tom.Mullen@arcadis-us.com]
Sent: Wednesday, September 04, 2013 5:24 AM
To: Fuentes, Rene
Cc: Winiecki, Eric; Baron, Adam; Freeman, Kevin; Sebesta, Lisa
Subject: DOCKET NO. SDWA-10-2013-0080 / Groundwater Monitoring Well Installation Activities - Monday, September 3, 2013 Update

Rene,

On Tuesday, September 3, Cascade conducted development activities on wells YVD-04 (total depth [TD] = 248 ft) and YVD-03 (TD=202.7 ft). The two wells were surged and bailed for approximately 3 and 2 hours, respectively. Water level measurements prior to developing each well indicated the following water columns: YVD-04 – 24.0 ft and YVD-03 – 12.9 ft. Approximately 7.5 and 5 gallons of water were removed from wells YVD-04 and YVD-03, respectively. Water quality parameters were recorded during development. Water quality parameters changed only some during development of the wells. An abundant amount of very fine sand was removed from the wells and turbidity exceeded the limits of the water quality meter (e.g., 800 NTU). Will be developing the three remaining wells Wednesday of this week including YVD-02, YVD-05, and YVD-06.

In regards to the upcoming groundwater sampling, we will begin sampling the week of September 16. This start date provides us adequate time to make the necessary preparations for conducting groundwater sampling (i.e., lab coordination, logistics for equipment and supplies, etc.) coupled with the uncertainty of the necessary amount of time that it took to perform well development activities. We envision that groundwater sampling will take the entire week to complete. Prior to sampling activities, ARCADIS will also conduct a synoptic round of water level measurements of the 26 wells (e.g., 17 "YVD" wells and 9 "DC" wells). Groundwater sampling will be conducted by means of a bladder pump and follow the low-flow sampling procedures detailed in Appendix E of the Groundwater Monitoring QAPP.

Please let me know if you have any questions.

Tom

Thomas F. Mullen, PG | Certified Project Manager / Senior Hydrogeologist | tom.mullen@arcadis-us.com
ARCADIS U.S., Inc. | 695 N. Legacy Ridge Drive, Suite 200 | Liberty Lake, WA, 99019
T. 509.928.3369 | M. 208.755.1094 | F. 509.928.3075
www.arcadis-us.com
ARCADIS, Imagine the result

PG / ID, 931 | CA, 6514 | WY, 792

NOTICE: This e-mail and any files transmitted with it are the property of ARCADIS U.S., Inc. and its affiliates. All rights, including without limitation copyright, are reserved. The proprietary information contained in this e-mail message, and any files transmitted with it, is intended for the use of the recipient(s) named above. If the reader of this e-mail is not the intended recipient, you are hereby notified that you have received this e-mail in error and that any review, distribution or copying of this e-mail or any files transmitted with it is strictly prohibited. If you have received this e-mail in error, please notify the sender immediately and delete the original message and any files transmitted. The unauthorized use of this e-mail or any files transmitted with it is prohibited and disclaimed by ARCADIS U.S., Inc. and its affiliates. Nothing herein is intended to constitute the offering or performance of services where otherwise restricted by law.